

INDEX MAPS.

T. 10 N. R. 7 E. 2nd Mer.

	132		132		132		131		131		131	
134	6	157	5	152	4	147	3	143	2	139	1	130
	157		157		151		147		143		139	
134	7	156	8	151	9	147	10	143	11	138	12	130
	156		156		150		146		142		138	
134	18	155	17	150	16	146	15	142	14	138	13	130
	155		154		150		146		142		137	
133	19	154	20	149	21	145	22	141	23	137	24	129
	154		153		147		145		141		136	
133	30	153	29	148	28	144	27	140	26	136	25	129
	153		152		148		144		140		136	
133	31	152	32	148	33	144	34	140	35	135	36	128
	152		152		148		144		140		135	
	128		128		127		127		127		127	

T. 11 N. R. 7 E. 2nd Mer.

	164		164		164		163		163		163	
167	6	188	5	182	4	178	3	174	2	170	1	162
	187		187		181		178		174		170	
166	7	187	8	181	9	177	10	174	11	170	12	162
	186		186		181		177		173		170	
166	18	185	17	180	16	177	15	173	14	169	13	162
	185		185		180		176		173		169	
165	19	184	20	180	21	176	22	172	23	169	24	161
	184		184		177		176		172		168	
165	30	183	29	177	28	175	27	172	26	168	25	161
	183		183		177		175		171		168	
165	31	182	32	178	33	175	34	171	35	167	36	161
	182		182		178		175		171		167	
	160		160		160		159		159		159	

(P) The figures on the lines refer to the page.

127

Township N. 10 North, Range N. 7 East 2. Mer. Indiana

Ch. 1/4

South Boundary.

West On S. boundary of Sec. 36
27.00 a Brook 5th wide Course N.
32.10 a Do. 4 " " " N.
40.00 Let gr. Sec. post, from which
a ——— 4 in. dia. beam East 23th dist. of
a Do 10 " " " N 83° W 24 " "
80.00 Let post Cor. to Sec. 35 of 36, from which
an Ironwood 8 in. dia. beam N 2 E 23th dist. of
Cor. in a Creek 150th wide Course S. W.
Over rolling land, timber Beech &c, m. Spruce

West On S. boundary of Sec. 35
29.55 a Brook 15th wide Course S.
40.00 Let gr. Sec. post, from which
a Gum 30 in. dia. beam N 47 E 7th dist. of
a Beech 18 " " " N 73° W 38 " "
47.10 a Brook 4th wide Course S
80.00 Let post Cor. to Sec. 34 of 35, from which
a Hornbeam 8 in. dia. beam N 76° W 6th dist. of
a Beech 6 " " " N 79° W 11 " "
Over good farming land, timber Beech, ash &c
underg. Spruce &c

West On S. boundary of Sec. 34
40.00 Let gr. Sec. post from which
a Beech 23 in. dia. beam S 80 E 10th dist. of
a Hickory 8 " " " N 74° W 15 " "
80.00 Let post Cor. to Sec. 33 of 34, from which
a Beech 17 in. dia. beam N 47° W 12th dist. of
a Do. 12 " " " S 36 E 17 " "
Over good farming land, Beech, Sugar, Oak &c
underg. Spruce &c.

West On S. boundary of Sec. 33
40.00 Let gr. Sec. post, from which

St. N. R. & E. 2nd Mer. Indiana

chth a Beech 30 m. dist. bray N 37° W 6 lns. dist. of
 a do. 20 " " " N 34° W 21 " "
 58.83 a Creek 100 lns. wide Course S. W.
 71.33 Same 100 lns. " " N. W.
 80.00 Set post Cor. to Sec. 32 & 33 from which
 a Beech 8 m. dist. bray N 74° W 28 lns. dist. of
 an Ash 22 " " " S 52° E 10 " "
 Over good farming land, Beech, Sugar, Ash
 &c. undergth Spruce &c

West On S. boundary of Sec. 32
 25.50 a Creek 100 lns. wide Course S.
 40.00 Set q. Sec. post, from which
 a Beech 7 m. dist. bray N 44° W 6 lns. dist. of
 an Oak 9 " " " N 1° W 15 " "
 52.00 a Brook 15 lns. wide Course S.
 80.00 Set post Cor. to Sec. 31 & 32, from which
 a Beech 12 m. dist. bray N 45° E 15 lns. dist. of
 a do. 6 " " " N 31° W 12 " "
 Over good farming land, Oak, Beech &c.
 undergth Spruce

West On S. boundary of Sec. 31
 40.00 Set q. Sec. post, from which
 a Poplar 60 m. dist. bray N 61° E 17 lns. dist. of
 a Beech 13 " " " N 61° W 24 " "
 80.51 Set post Cor. to Township 9 & 10 North, of
 Range 6 & 7 East, from which
 a Beech 7 m. dist. bray S 88° E 18 lns. dist. of
 a do. 30 " " " S 63° W 6 " "
 Over good farming land, Beech, Ash, Oak
 &c. undergth Spruce &c.

East Boundary. var. 6° 30' E.
 North On E. boundary of Sec. 36
 2.50 a Beech 18 m. dist.

Town R & E. 2^d Mer. Indiana

129

ch^r. l^y
 40.00 Let q^r. Sec. post, from which
 a _____ 10 in. dia^r. bay 150 E 5 l^y. dist. of
 a Sugar 10 " " " N 29 E 14 " "
 40.39 an Elm 24 " "
 80.00 Let post Cor. to Sec^s. 25 & 36, from which
 a Beech 30 in. dia^r. bay N 10 W 11 l^y. dist. of
 a Do. 19 " " " N 47 E 9 " "
 Over good farming land, Beech, Ash &c.
 undug^m. Spruce &c.

North On E. boundary of Sec. 25
 2.92 a Beech 22 in. dia^r.
 15.50 a Do. 24 " "
 25.50 a Brook 15 l^y. wide Course W.
 40.00 Let q^r. Sec. post, from which
 a Beech 15 in. dia^r. bay N 6 W 12 l^y. dist. of
 a Do. 18 " " " N 63 E 10 " "
 75.15 a Beech 30 " "
 80.00 Let post Cor. to Sec^s. 24 & 25, from which
 a Sugar 24 in. dia^r. bay N 23 W 19 l^y. dist. of
 a Do 18 " " " N 43 E 15 " "
 Over good farming land timber Beech, Sugar

North On E. boundary of Sec. 24,
 9.06 a Brook 10 l^y. wide Course N.W.
 25.86 an Elm 30 in. dia^r.
 35.50 a Creek 125 l^y. wide Course S.W.
 40.00 Let q^r. Sec. post, from which
 an Ironwood 8 in. dia^r. bay N 64 E 11 l^y. dist. of
 a Do. 8 " " " N 61 W 13 " "
 41.50 a Creek 150 l^y. wide Course S.E.
 76.50 Same 150 " " " S.W.
 80.00 Let post Cor. to Sec^s. 13 & 24, from which
 a Beech 24 in. dia^r. bay N 36 E 16 l^y. dist. of
 a Do. 12 " " " N 71 W 19 " "
 Over good farming land, timber as before

130

M. N. R. & E. 2^d Mer. Indiana

ch. l. l. l.

North On E. boundary of Sec. 13

18.00 a Brook 3 l. l. wide Course E.

27.50 a Sugar 18 m. dist.

40.00 Set q. Sec. post, from which

a Beech 20 m. dist. bear 111 E 16 l. l. dist. &

a Do. 20 " " " N 35 W 9 " "

68.26 a Beech 14 " "

80.00 Set post Cor. to Sec. 12 & 13, from which

a Beech 20 m. dist. bear 100 E 28 l. l. dist. &

a Do. 22 " " " N 42 E 30 " "

Over good farming land, Beech, Poplar &c
under 1st Price &c.

North On E. boundary of Sec. 12

24.50 a Beech 18 m. dist.

40.00 Set q. Sec. post, from which

a Beech 12 m. dist. bear 127 W 19 l. l. dist. &

a Do. 8 " " " N 10 E 12 " "

62.76 a Do 12 " "

80.00 Set post Cor. to Sec. 1 & 12, from which

a _____ 18 m. dist. bear 188 E 8 l. l. dist. &

a Do 13 " " " N 57 W 16 " "

(Description of land &c. Omitted)

North On E. boundary of Sec. 1

17.00 a Beech 20 m. dist.

19.00 a Creek 70 l. l. wide Course S. W.

40.00 Set q. Sec. post, from which

a Beech 12 m. dist. bear 149 W 10 l. l. dist. &

a Do. 14 " " " North 30 " "

81.12 Set post Cor. to Township 10 N & North Range

7 & 8 East, from which

a Beech 30 m. dist. bear N 23 W 24 l. l. dist. &

a Do 15 " " " N 49 W 15 " "

Over good farming land, timber Beech, Ash &c.

under 1st Price June 14th 1879

131

Mt. Rye, Ind. Mer. Indiana

ch. 1/4

North Boundary var. 7° 15' E

Nest On S. boundary of Sec. 36, Mt. Rye.

28.88 a Beech 16 in. dia.

40.00 Set gr. Sec. post, from which
a Beech 21 in. dia. bray S 57 E 18 in. dist. of
a do. 9 " " " S 21 E 9 " "

55.38 an Ash 21 " "

73.00 a Branch 15 in. wide Course S. W.

80.00 Set post Cor. to Sec. 35 & 36, Mt. Rye, from which
a Beech 22 in. dia. bray S 85 E 30 in. dist. of
a do. 18 " " " N 64 W 55 " "

Level 2^d rate land, Beech, Ash, Poplar &c.
undergth Spruce & Pampaw

Nest On S. boundary of Sec. 35, Mt. Rye.

37.95 a Beech 20 in. dia.

40.00 Set gr. Sec. post, from which
a Beech 18 in. dia. bray S 74 W 21 in. dist. of
a do. 8 " " " N 24 E 25 " "

80.00 Set post Cor. to Sec. 34 & 35, Mt. Rye, from which
a Dogwood 6 in. dia. bray S 2 E 17 in. dist. of
a Beech 9 " " " S 80 E 30 " "

Land &c. same as on last mile

Nest On S. boundary of Sec. 34, Mt. Rye.

16.00 a Branch 10 in. wide Course S. W.

36.00 enter fallen timber

40.00 Set gr. Sec. post, from which
a Beech 12 in. dia. bray N 85 E 16 in. dist. of
a do. 16 " " " N 81 W 26 " "

56.00 leave the fallen timber

80.00 Set post Cor. to Sec. 33 & 34, Mt. Rye, from which
a Beech 5 in. dia. bray N 4 E 28 in. dist. of
a do. 12 " " " N 12 W 10 " "

Level rich land, timber Ash, Beech, Poplar
Elm &c. undergth Spruce

T10 N. R7 E. 2^d Mer. Indiana

ch. 1/2 m.

Met On S. boundary of Sec. 33, T10 N. R7 E.

6.50 a Creek 50 m. wide Course S.W.

40.00 let gr. Sec. post, from which

a Beech 20 m. diam. bear S 77° W 7 m. dist. of

a do. 14 " " " N 75° E 12 " "

59.20 a Beech 27 " " "

80.00 let post Cor. to Sec. 32 & 33, T10 N. R7 E. from which

a Beech 6 m. diam. bear S 75° E 25 m. dist. of

a do. 15 " " " N 77° W 7 " "

Land &c. same as last mile

Met On S. boundary of Sec. 32, T10 N. R7 E.

21.00 a Branch 15 m. wide Course S.W.

27.00 same 15 " " " S.W.

34.00 same 15 " " " S.W.

40.00 let gr. Sec. post, from which

a Beech 21 m. diam. bear N 66° W 30 m. dist. of

a do. 10 " " " S 36° E 3 " "

48.00 a Branch 10 m. wide Course S.W.

80.00 let post Cor. to Sec. 31 & 32, T10 N. R7 E. from which

a Beech 9 m. diam. bear S 45° E 21 m. dist. of

a do. 10 " " " N 55° W 21 " "

Rolling land, timber Beech, Ash, Poplar
&c. underg^g. Spruce &c.

Met On S. boundary of Sec. 31, T10 N. R7 E.

16.00 a Beech 18 m. diam.

40.00 let gr. Sec. post, from which

a Beech 18 m. diam. bear N 26° E 24 m. dist. of

an Ironw^d. 5 " " " S 54° W 8 " "

50.33 an Ash 24 " "

75.00 a Branch 15 m. wide Course S.

80.00 intersected N. boundary 180 m. N. of temp. post

let post Cor. to Township 10 of N. North, of

Range 6 of East, from which

a Beech 10 m. diam. bear N 15° E 14 m. dist. of

133

Twp. 12 & E. 2^d. Mer. Indiana

ch. 1st ch.

a Beech 8 in. dia. beam 151 W 34 th. dist. of
Land &c. same as on last mile

West Boundary var. 6° 30' E

North On E. boundary of Sec. 36, T10 N. R6 E.

17.71 a Beech 11 in. dia.

40.00 Let of Sec. post, from which
an Ash 12 in. dia. beam 111 W 6 th. dist. of
an do 12 " " " N 57 W 15 th. "

54.50 a Brook 10 th. wide Course W.

58.30 a Beech 24 in. dia.

80.00 Let post Cor. to Sec. 25 & 36, T10 N. R6 E, from which
a Beech 6 in. dia. beam 113 W 11 th. dist. of
a Sugar 13 " " " N 53 E 4 " "
Over good land, timber, Beech, ash &c. Spice

North On E. boundary of Sec. 25, T10 N. R6 E

3.50 a Brook 4 th. wide Course S. W.

36.80 a do. 5 " " " S. W.

38.89 a Sugar 24 in. dia.

40.00 Let of Sec. post, from which
a Beech 6 in. dia. beam N 26 E 21 th. dist. of
a do. 10 " " " N 44 W 10 " "

80.00 Let post Cor. to Sec. 24 & 25, T10 N. R6 E, from which

North a Beech 20 in. dia. beam N 25 E 9 th. dist. of
a do. 14 " " " N 37 W 19 " "

Over good farming land, Beech, Sugar &
under ^{to} Spice.

North On E. boundary of Sec. 24, T10 N. R6 E.

7.74 a Beech 18 in. dia.

8.20 a Creek 50 th. wide Course S. W.

40.00 Let of Sec. post, from which

a Beech 8 in. dia. beam 135 W 8 th. dist. of
a do. 28 " " " N 15 E 15 " "

44.00 a do 18 " "

134

T.M. N. R. & E. 2^d Mer. Indiana

ch. l. m.

80.00 Set post Cor. to Sec. 13 & 24, T. 10 N. R. 6 E., from which
 a Beech 24 mi. dist. by N 43° 19' E. dist. of
 a Co. 9 " " " N 15° 12' 20 " "
 Over good farming land, timber Beech, Poplar
 Ash &c. underg^g. Spruce &c.

North On E. boundary of Sec. 13, T. 10 N. R. 6 E.

15.90 at Beech 20 mi. dist.

23.50 a Brook 15 l. m. wide Comes S. W.

40.00 Set of Sec. post, from which
 a Beech 30 mi. dist. by N 77° 09' E. dist. of
 a Co. 12 " " " N 74° 11' 32 " "

80.00 Set post Cor. to Sec. 12 & 13, T. 10 N. R. 6 E., from which
 a Gum 15 mi. dist. by N 17° 11' 13" E. dist. of
 a Co. 14 " " " N 32° 11' 22 " "
 Over good farming land, timber Beech,
 Poplar, Ash &c. underg^g. Spruce &c.

North On E. boundary of Sec. 12, T. 10 N. R. 6 E.

21.09 an Elm 18 mi. dist.

25.50 a Brook 15 l. m. wide Comes W.

40.00 Set of Sec. post, from which
 a Beech 12 mi. dist. by S 80° 11' 2" E. dist. of
 a Co. 22 " " " S 44° 11' 20 " "

60.00 a Swamp N. E. & S. W.

80.00 Set post Cor. to Sec. 1 & 12, T. 10 N. R. 6 E., from which
 a Willow 6 mi. dist. by N 10° 11' 13" E. dist. of
 Over rich land, timber Beech, Poplar &c

North On E. boundary of Sec. 1, T. 10 N. R. 6 E.

10.00 to dry land

31.88 at Beech 30 mi. dist.

40.00 Set of Sec. post, from which
 a Beech 13 mi. dist. by N 56° 11' 23" E. dist. of
 a Co. 14 " " " N 1° 11' 27 " "

81.80 Set post Cor. to Township, 10 & 11 N. Range

135

No. 127 E. 2^d Mer Indiana
ch. 2^d 1/4

66 1/2 East, from which
a Beech 10 in. dia. - brang N 15 E 14 1/2 m. dist. of
a No. 8 " " " S 51 W 34 " "
Over rich land, timber Beech, Walnut
Ash &c. under ^{the} price. June 15th 1819
John M. McDonald. D.S.

Subdivision.

We Truman Hibbard and Ferdinand Strickland
do solemnly swear in the presence of Almighty
God, that in all Measurements in which
we shall be employed as Chain Carriers in
the public surveys we will faithfully and
impartially execute the duties of the trust
reposed in (us) to the best of our Skill &
abilities to help us God.

Truman Hibbard
Ferdinand Strickland

Sworn and Subscribed before me this 9th
day of August 1819. B. Bently, D.S.

North Between Sec. 35 & 36, No. 127 E.

— a Creek 100 fms. wide Course S 78 W

9.20 a W. Hickory 18 in. dia.

18.90 a Buckeye 16 " "

31.00 a Beech 24 " "

40.00 Let q^r. Sec. post, from which
a Beech 24 in. dia. - brang S 50 E 18 1/2 m. dist. of
a No. 24 " " " N 35 W 20 " "

71.00 a Beech 12 " "

80.00 Let post Cor. to Sec. 25, 26, 35 & 36 from which
an Ash 18 in. dia. - brang S 65 W 16 1/2 m. dist. of
a Beech 6 " " " N 29 E 13 " "
Land rolling 3^d rate, Ash, Oak, Hickory, Beech
&c. under ^{the} price &c.

West N 7 E. 2.^d Mer. Indiana

ch. l. l. l.
 East On Rand^m. between Sec^s. 25 & 36
 23.00 a Creek 100 l. m. wide Course —
 26.50 a Stone quarry
 40.00 Set temp^y. q^r. Sec. post
 65.20 a Spring branch 10 l. m. wide Course S 46° W
 81.50 intersected E. boundary 140 l. m. S. of post
 Land rolling rich, Sugar, Poplar, Ash, Beech
 &c. undergth. Spruce

West Cornetted between Sec^s. 25 & 36
 40.75 Set q^r. Sec. post at average dist. from which
 a Beech 6 in. dia^r. bran^d S 20° W 13 l. m. dist. &
 a Sugar 6 " " " N 31° W 25 " "
 81.50 to Sec. Corner

North Between Sec^s. 25 & 26
 8.50 an Ash 24 in. dia^r.
 15.50 a Beech 20 " "
 28.00 a Spring branch 5 l. m. wide Course N. E.
 40.00 Set q^r. Sec. post, from which
 an Ironw^d. 8 in. dia^r. bran^d S 33° E 20 l. m. dist. &
 a Beech 12 " " " N 27° W 23 " "
 41.00 a Creek 150 l. m. wide Course E. Current rapid
 48.00 a Do. 150 l. m. " " S 56° W " Moderate
 59.00 an Ash 24 in. dia^r.
 63.00 a Spring branch Course E.
 69.50 a Beech 28 in. dia^r.
 80.00 Set post cor. to Sec^s. 23, 24, 25 & 26, from which
 a Beech 4 in. dia^r. bran^d S 77° W 7 l. m. dist. &
 a Do. 18 " " " N 48° E 19 " "
 Land Hilly 2.^d rate Beech, Ash, Poplar, Sugar
 undergth. Spruce

East On Rand^m. between Sec^s. 24 & 25
 13.00 a Creek 100 l. m. wide Course S. current rapid
 40.00 Set temp^y. q^r. Sec. post.

T. N. P. C. 2^d Mer. Indiana

137

ch. l. l. h.

43.00 a stone quarry

82.00 Intersected E. boundary 268 l. S. of post
Land rolling rich, Angar, Ash, Walnut, Poplar
etc. undergth. Spice, Greenbrier etc.

West Corrected between Sec. 24 & 25

41.00 Set of. Sec. post at average dist. from which
a Hackberry 12 in. dia. bears N 22 W 20 l. dist. of
an Elm 24 " " " S 42 E 18 " "

82.00 to Sec. Corner

North Between Sec. 23 & 24

5.50 an Ash 30 in. dia.

17.20 a Beech 28 " "

40.00 Set of. Sec. post, from which
a Hickory 4 in. dia. bears N 88 E 7 l. dist. &
a Sugar 6 " " " S 33 W 21 " "

56.00 a No. 15 " "

80.00 Set post cor. to Sec. 13, 14, 23 & 24, from which
a Sugar 8 in. dia. bears N 75 E 13 l. dist. &
a No. 5 " " " N 80 W 13 " "
Land rolling 2^d rate timber Ash, Sugar, Beech &
undergrowth Spice

East On Pradon between Sec. 13 & 24.

25.00 a Spring branch 10 l. wide Course S. 36 E.

40.00 Set temp. of. Sec. post.

71.00 a Spring branch Course S. 30 E.

82.68 Intersected the E. boundary 1.67 l. S. of post.

Land timber undergrowth &c. Same as last mile

West Corrected between Sec. 13 & 24.

41.34 Set of. Sec. post, at average dist. from which
a Beech 18 in. dia. bears S 10 E 6 l. dist. &
a No. 18 " " " N 67 E 12 " "

82.68 to Section Corner

T.M. R. E. I. Mer. Indiana

Ch. l. h.

North Between Sec. 13 & 14.

11.00 a Hickory 18 in. dia.

22.50 an Elm 24 " "

40.00 Set q. Sec. post. from which
a Sugar 6 in. dia. bears S 55 E 26 lks. dist. &
a No. 5 " " " N 55 W 19 " "

59.00 a Beech 24 " "

60.50 a Creek 50 lks. wide Course S 65 W.

72.00 a Spring branch Course S 28 E, a Spring S 34 E. 30 lks. wide.

77.00 a Beech 15 in. dia.

80.00 Set post Cor. to Sec. 11, 12, 13 & 14, from which
a Beech 12 in. dia. bears S 35 W 6 lks. dist. &
a No. 10 " " " N 19 E 48 " "Land rolling & rich Ash Sugar Beech, Poplar Walnut.
Undergrowth Spice &c.

East On Random between Sec. 12 & 13

26.50 a Creek 50 lks. wide Course S. 18 W.

40.00 Set temp. q. Sec. post.

42.50 Intersected the E. boundary 2.44 lks. S. of post.
Land level 2^d rate Sugar Beech Ash, undgt. Spice

West Corrected between Sec. 12 & 13.

44.25 Set q. Sec. post. at average dist. from which
a Beech 24 in. dia. bears N 22 E 10 lks. dist. &
a No. 35 " " " S 69 E — " "

82.50 to Section Corner

North Between Sec. 11. & 12.

1.00 a Poplar 36 in. dia.

11.50 a Beech 20 " "

40.00 Set q. Sec. post. from which
a Beech 18 in. dia. bears N 86 W 24 lks. dist. &
a Sugar 7 " " " S 55 E 44 " "

45.50 a Beech 12 " "

80.00 Set post Cor. to Sec. 1, 2, 11. & 12, from which

139

T10 N. R7 E. 2^d Mer. Indiana

Ch. P. Lk.

a Beech 20 in. dia. bears S 25^W 20 lks. dist. &
an Ash 22 " " " N 45^E 35 " "
Land level and rich Ash, Elm, Sugar, Beech,
undergrowth Spice.

East On Random between Sec. 1. & 12.

40.00 Set temp. g. Sec. post.

68.00 a Creek 50 lks. wide course S 40^W.

83.00 Intersected the E. boundary 1.68 lks. S. of post.
Land level rich Poplar, Beech, Ash & Gum,
undergrowth Spice.

West Corrected between Sec. 1. & 12.

41.50 Set g. Sec. post. at average dist. from which
a Beech 18 in. dia. bears N 24^W 5 lks. dist. &
a Do. 6 " " " S 26^W 18 " "

83.00 to Section Corner.

North Between Sec. 1 & 2.

6.00 a Poplar 42 in. dia.

13.50 a Beech 24 " "

40.00 Set g. Sec. post. from which, (a Branch 10 lks. wide)
a Beech 12 in. dia. bears S 62^E 39 lks. dist. &
an Ash 18 " " " N 30^W 35 " "

41.50 a Branch 8 lks. wide course S 57^E.

42.50 a Do 7 " " " S 32^W

46.50 a Do 7 " " " E.

47.00 a Do. 7 " " " W.

65.00 a Beech 30 in. dia.

73.00 a Br. Elm 15 " "

82.00 Intersected the N. boundary 3.50 lks. N. of post.
Set post cor. to Sec. 1. & 2, from which
a Beech 12 in. dia. bears S 20^E 35 lks. dist. &
a Do. 24 " " " N 51^W 5 " "
Land level & rich Sugar Beech Poplar Ash
undergrowth Spice. August 11th 1819.

140 T10 N R7 E 2^d Mer. Indiana

ch. l. l. h. y
 North Between Sect. 34 & 35.
 4.00 a Beech 24 in. dia.
 9.00 a Poplar 18 " "
 40.00 Set q. Sec. post. from which
 a Beech 10 in. dia. bears N 66 E 30 lks. dist. &
 a No. 12 " " " S 28 W 14 " "
 44.00 a No. 30 " "
 58.00 a Sugar 3 " "
 61.50 a Spring branch course W.
 62.50 a Beech 18 in. dia.
 64.50 a Branch 6 lks. wide course N 41 W.
 65.00 a No. 6 " " " E.
 66.50 a No. 6 " " " W.
 78.00 a Beech 15 in. dia.
 80.00 Set post Cor. to Sect. 26 27, 34 & 35, from which
 a Beech 24 in. dia. bears South — lks. dist. &
 a No. 18 " " " N 30 E 3. " "
 Land level & rich 2^d rate Poplar Beech Sugar
 undergrowth Spice &c.

East On Random between Sect. 26 & 35.
 40.00 Set temp. q. Sec. post.
 78.55 Intersected the N & S. line 70 lks. N. of post.
 Land level 2^d rate - Beech Poplar Sugar undergrowth
 Spice & Grapesvines.

West Corrected between Sect. 26 & 35
 39.27 Set q. Sec. post. at average dist. from which
 an Ash 24 in. dia. bears S 56 W 30 lks. dist. &
 a Sugar — " " " N 49 E 31 " "
 78.55 to Section Corner

North Between Sect. 26 & 27.
 6.00 a Sugar 12 in. dia.
 21.50 an Ash 20 " "
 32.00 a Branch 5 lks. wide course N. W.

T10 N R7 E 2^d Mer. Indiana 141

ch. lks
 36.50 a Branch 5 lks. wide Course N. 82 E,
 37.00 a Do. 5 " " " N 34 W.
 40.00 Set q. Sec. post. from which
 a Sugar 15 in. dia. bears N 22 E 40 lks. dist. &
 a Beech 24 " " " S 5 E 12 " "
 49.00 a Do. 18 " "
 72.00 a Do. 24 " "
 80.00 Set post Cor. to Secs. 22, 23, 26 & 27, from which
 a Beech 24 in. dia. bears S 39 W 30 lks. dist. &
 a Do. 23 " " " N 30 E 25 " "
 Land level 2^d rate Beech Poplar Sugar, undg. Spice.

East On Prandom between Secs. 23 & 26.
 40.00 Set temp. q. Sec. post.
 79.00 Intersected the N. & S. line 1.50 lks. N. of post.
 Level land 2^d rate Beech, Poplar, Sugar, Ash, Oak,
 undergrowth Spice.

West Corrected between Secs. 23 & 26.
 39.50 Set q. Sec. post. at average dist. from which
 a Beech 15 in. dia. bears S 60 W 5 lks. dist. &
 a W. Oak 60 " " " S 57 E 15 " "
 79.00 to Section Corner

North Between Secs. 22, & 23.
 7.50 a Sugar 20 in. dia.
 13.00 a Beech 30 " "
 40.00 Set q. Sec. post. from which
 a Beech 30 in. dia. bears N 66 E 12 lks. dist. &
 a Do. 10 " " " S 67 W 45 " "
 41.50 a Creek 50 lks. wide Course S. 70 W.
 48.50 a Sugar 36 in. dia.
 80.00 Set post Cor to Secs. 14, 15, 22 & 23, from which
 a Beech 24 in. dia. bears N 80 W 10 lks. dist. &
 a Do. 15 " " " S 35 E 12 " "
 Land level rich Beech, Poplar, Sugar, undergrowth Spice &c.

142

S. N. R. E. 2^d Mer. Indiana

ch. lks

East

On Random between Sect. 14 & 23.
 20.50 a Creek 1.00 lks. wide course S. 45 W.
 40.00 Set temp. q. Sec. post.
 79.73 Intersected the N. & S. line 1.77 lks. N. of post.
 Beech Poplar Ash undergrowth Spice &c. Land
 level 4th rich

West

Corrected between Sect. 14 & 23.
 39.86 Set q. Sec. post. at average dist. from which
 a Beech 24 in. dia. bears S 17 W - lks. dist. 4
 a No. 30 " " " N 13 E - " "
 79.73 to Section Corner

North

Between Sect. 14 & 15
 4.50 a Sugar 10 in. dia.
 40.00 Set q. Sec. post. from which
 a Beech 12 in. dia. bears N 33 W 22 lks. dist. 4
 a No. 24 " " " N 78 E 33 " "
 80.00 Set post Cor. to Sect. 10, 11, 14 & 15. from which
 a Beech 30 in. dia. bears N 39 W 10 lks. dist. 4
 a No. 9 " " " S 25 E 20 " "
 Land level 2^d rate Beech, Sugar, Elm
 undergrowth Spice &c. August 12th 1819.

East

On Random between Sect. 11 & 14
 40.00 Set temp. q. Sec. post.
 79.60 Intersected the N. & S. line. 77 lks. N. of post.
 Land level 1st rate. last 1/4 mile 2^d rate. Beech
 Sugar, Poplar &c. undergrowth Spice Poppaw

West

Corrected between Sect. 11 & 14
 39.80 Set q. Sec. post. at average dist. from which
 a Beech 20 in. dia. bears S 86 W 5 lks. dist. 4
 a No. 15 " " " N 55 E 10 " "
 79.60 to Section Corner

143

T10 N R7 E 2^d Mer. Indiana

Ch. 1st by

North Between Sec. 10 & 11

- 16.00 a Beech 12 in. dia.
 23.00 a Creek 40 lbs. wide Course S. 39^W
 23.50 a Spring — " " " N 34^W E.
 40.00 Set q. Sec. post, from which
 an Ash 12 in. dia. bears N 50^W 6 lbs. dist. 4
 a Beech 3 " " " S 33^E 11 " "
 46.00 a No. 12 " "
 80.00 Set post Cor. to Sec. 2, 3, 10 & 11, from which
 a Beech 15 in. dia. bears S 44^W 8 lbs. dist. 4
 a Hickory 4 " " " N 53^E 15 " "
 Land level rich Beech, Poplar, Ash, Oak, under-
 growth Spice, Poplar

East On Boundary between Sec. 2, & 11

- 40.00 Set temp. q. Sec. post.
 53.50 a Creek 10 lbs. wide Course S. 11^E.
 80.00 Intersected the N. & S. line 1.20 lbs. N. of post.
 Land level 2^d rate Ash Beech Poplar under-
 growth Spice.

West Corrected between Sec. 2 & 11.

- 40.00 Set q. Sec. post. at average dist. from which
 a Sugar 4 in. dia. bears N 26^W 10 lbs. dist. 4
 a No. 3 " " " S 7^W 8 " "
 80.00 to Section Corner

North Between Sec. 2 & 3.

- 6.50 a Hickory 18 in. dia.
 21.00 a Poplar 20 " "
 40.00 Set q. Sec. post, from which
 a Sugar 4 in. dia. bears N 77^E 12 lbs. dist. 4
 an Ash 48 " " " S 84^W 15 " "
 65.50 a No. 15 " "
 80.80 Intersected the N. boundary 3.43 lbs. N. of post
 Set post Cor. to Sec. 2 & 3. from which

144 M. N. R. E. 2^d Mer. Indiana

ch. lks

a Sugar 15 in. dia. bears S 70 W 6 lks. dist. 4
 a No. 36 " " " N 8 W 7 " "
 Land level 2^d rate Sugar Beech Poplar. underground
 Spice &c August 13th 1819.

North Between Sect. 33 & 34

1.50 a Sugar 18 in. dia.
 12.00 a Beech 24 " "
 36.00 a Branch 6 lks. wide Course W.
 40.00 Set of. Sec. post. from which
 a Beech 20 in. dia. bears N 53 E 18 lks. dist. 4
 a No. 4 " " " S 7 E 30 " "
 42.50 a Branch 10 lks. wide Course S 46 W
 60.00 a Beech 12 in. dia.
 80.00 Set post cor. to Sect. 27, 28, 33 & 34, from which
 a Sugar 18 in. dia. bears N 83 E 15 lks. dist. 4
 a Beech 15 " " " S 66 W 12 " "
 Land level 2^d rate, Beech Poplar Ash
 undergrowth Spice. Pappaw. &c.

East On Random between Sect. 27 & 34

32.00 a Branch 15 lks. wide Course S.
 34.00 a No. 15 " " " N.
 35.50 a No. 15 " " " S.
 40.00 Set temp. of. Sec. post.
 79.40 Intersected the N. & S. line 3 lks. N. of post.
 Land level 2^d rate Beech Poplar Sugar Ash
 undergrowth Spice Poppaw. &c.

West Corrected between Sect. 27 & 34

39.70 Set of. Sec. post. from which
 a Beech 36 in. dia. bears S 12 W 18 lks. dist. 4
 a No. 24 " " " N 53 E 13 " "
 79.40 to Section Corner

North Between Sect. 27 & 28.

145

M. N. R. E. 2^d Mer. Indiana

ch. P. lky

- 18.00 a Beech 15 in. dia.
 40.00 Set q. Sec. post. from which
 a Sugar 3 in. dia. bears N 34 W 4 lbs. dist. 4
 a No. 4 " " " S 21 E 6 " "
 54.00 a Creek 50 lbs. wide Course W.
 58.00 a Sugar 3 in. dia.
 80.00 Set post Cor. to Sec. 21, 22, 27 & 28, from which
 a Beech 12 in. dia. bears S 13 W 8 lbs. dist. 4
 a No. 4 " " " N 13 E 3 " "
 Land level 2^d rate Ash Beech Sugar underg.
 Spice &c.

- East On Random between Sec. 22 & 27.
 23.50 a Creek 50 lbs. wide Course S.
 40.00 Set temp. q. Sec. post.
 80.25 Intersected the N. & S. line 5 lbs. N. of post.
 first half rolling - last half level 2^d rate
 Ash, Beech, Poplar Sugar undergrowth Spice.

- West Corrected between Sec. 22 & 27.
 40.12 Set q. Sec. post. at average dist. from which
 a Beech 12 in. dia. bears N 12 W 7 lbs. dist. 4
 a No. 6 " " " S 70 E 20 " "
 80.25 to Section Course

- North Between Sec. 21 & 22
 6.50 a Beech 10 in. dia.
 38.50 a Hickory — " "
 40.00 Set q. Sec. post. from which
 a Beech 30 in. dia. bears N 22 W 5 lbs. dist. 4
 a No. 24 " " " S 36 E 15 " "
 53.00 a No. 20 " "
 77.50 a No. 36 " "
 80.00 Set post Cor. to Sec. 15, 16, 21 & 22, from which
 a Beech 18 in. dia. bears N 65 W 6 lbs. dist. 4
 a Sugar — " " " S 52 E 15 " "

T10 N R7 E. 2^d 2^d Mer. Indiana

ch. lks

First $\frac{1}{2}$ mile 2^d rate - last $\frac{1}{2}$ mile 1st rate Beech
Sugar, Hickory, Ash, undergrowth Spice, Aug^r 14th 1819.

East On Random between Sec^s. 15 & 22.

40.00 Set temp^y. q^r. Sec. post.

79.50 Intersected the N. & S. line 40 lks. N. of post.
Land level & rich Ash, Beech, Poplar underg^r. Spice

West Corrected between Sec^s. 15 & 22.

39.75 Set q^r. Sec. post. at average dist. from which
a Beech 18 in. dia^r. bears S 40 E 5 lks. dist. &
an Elm 6 " " " N 8 W 14 " "

79.50 to Section Corner

North Between Sec^s. 15 & 16

5.50 a Branch 5 lks. wide course W.

10.50 a Sugar 30 in. dia^r.

12.50 a Creek 18 lks. wide Course W.

40.00 Set q^r. Sec. post. from which
a Beech 15 in dia^r. bears N 68 E 18 lks. dist. &
a Poplar 12 " " " S 41 W 20 " "

54.50 a Hickory 24 " "

80.00 Set post Cor. to Sec^s. 9, 10, 15 & 16, from which
a Beech 20 in. dia^r. bears S 29 E 33 lks. dist. &
a No. 20 " " " N 58 W 10 " "

Land level 2^d rate Ash Beech underg^r. Spice &c.

East On Random between Sec^s. 10 & 15.

40.00 Set temp^y. q^r. Sec. post.

50.50 a Creek 20 lks. wide Course S.

79.64 Intersected the N. & S. line 79 lks. N. of post.
Land level & rich Beech Poplar Ash
undergrowth Spice &c.

West Corrected between Sec^s. 10 & 15

39.82 Set q^r. Sec. post. at average dist. from which

Township 2nd Mer. Indiana

147

ch. lks
a Beech 18 in. dia. bears S 30 W 15 lks. dist. 4
a Do. 20 " " " N 41 E 18 " "
79.64 to Section Corner

North Between Secs. 9 & 10 lt

12.50 a Branch 5 lks. wide Course W.

40.00 Set of Sec. post, from which

a Beech 30 in. dia. bears N 65 E 50 lks. dist. 8

a Do. 18 " " " N 56 W 20 " "

52.50 a Branch 5 lks. wide Course W. Aug. 16. 1819

80.00 Set post Cor. to Secs. 3, 4, 9 & 10, from which

a Beech 4 in. dia. bears N 58 E 8 lks. dist. 4

a Sugar 4 " " " N 43 W 15 " "

Land level rich, Beech, Sugar, Ash, Poplar &c.
underg^d Spruce

East On Rand^m between Secs. 3 & 10

40.00 Set temp^y of Sec. post

80.00 Intersected the N & S. line 62 lks. S. of post

Land level rich, Ash, Sugar, Beech, Walnut,
Hickory, underg^d Spruce, pampaw.

West Cornetted between Secs. 3 & 10

40.00 Set of Sec. post at average dist. from which

a Beech 5 in. dia. bears N 68 W 15 lks. dist. 8

a Do. 10 " " " N 71 E 31 " "

80.00 Section Corner

North Between Secs. 3 & 4

4.50 a Beech 12 in. dia.

12.00 a Branch 10 lks. wide Course W.

23.00 a Creek 25 lks. " " S 50 W

40.00 Set of Sec. post, from which

a Beech 13 in. dia. bears N 12 E 15 lks. dist. 4

a Do. 15 " " " N 9 E 20 " "

44.00 a Branch 7 lks. wide Course E.

T.M. N.E. 2nd Mer. Indiana

ch. lth

47.00 a Branch 15 lth. wide Course E.

63.00 a Beech 30 in. dist.

80.20 Intersected N. boundary 304 lth. N. of post
 Set post Cor. to Sec. 3 of 4, from which
 a Beech 13 in. dist. by N 76° 25 lth. dist. of
 a do. 12 " " " N 74° 10 " "
 Sand level rich, Sugar, Ash, Beech, &c.
 undng^{to} Spice

North Between Sec. 32 & 33

5.00 a Creek 50 lth. wide Course N.W. rapid

25.50 a Beech 18 in. dist.

40.00 Set q. Sec. post, from which
 an Elm 6 in. dist. by N 26° 6 lth. dist. of
 a Hickory 6 " " " N 47° 10 " "

80.00 Set post Cor. to Sec. 28, 29, 32 & 33, from which
 a Beech 18 in. dist. by N 82° 6 lth. dist. of
 a do. 24 " " " N 74° 10 " "
 Sand level 2nd rate, Beech undng^{to} Spice
 August 17th 1879

East On Rand^m between Sec. 28 & 33

25.00 a Creek 50 lth. wide Course S.

40.00 Set temp^y q. Sec. post

79.40 Intersected the N & S. line 4 lth. S. of post
 Sand rolling 2nd rate, Ash, Beech, undng^{to} Spice

West Connected between Sec. 28 & 33

39.70 Set q. Sec. post at average dist. from which
 a Beech 10 in. dist. by N 63° 8 lth. dist. of
 a do. 12 " " " S 52° 15 " "

79.40 to Sec. Corner.

North Between Sec. 28 & 29

9.50 an Ash 15 in. dist.

40.00 Set q. Sec. post, from which

149

N. N. N. E. S. Mer. Indiana

ch. 1/4

- a Beech 4 mi. dist. from N 20° W 7 lbs. dist. of
 a do. 4 " " " " N 84° E 10 " "
 59.50 a Hickory 24 " "
 78.50 a Branch 6 lbs. wide Course W.
 80.00 Let post Cor. to Sec. 20, 21, 28 & 29, from which
 a Beech 15 mi. dist. from N 15° W 10 lbs. dist. of
 a do. 12 " " " " N 55° W 20 " "
 (description of land se. omitted)

- East On Rand. between Sec. 21 & 28
 11.60 a Branch 6 lbs. wide Course S.
 17.50 a do. 6 " " " " N.
 20.00 a do. 6 " " " " S. W.
 40.00 Let temp. q. Sec. post
 79.75 Intersected the N & S. line 30 lbs. N. of post
 Sand level 2^d rate, Ash, Beech, undg. Spruce

- West Connected between Sec. 21 & 28
 39.87 Let q. Sec. post at average dist. from which
 a Hickory 12 mi. dist. from N 47° E 10 lbs. dist. of
 an Ash 12 " " " " S 53° W 12 " "
 79.75 to Sec. Corner.

- North Between Sec. 20 & 21
 0.50 a Branch 5 lbs. wide Course N. W.
 17.40 a Sugar 12 mi. dist.
 40.00 Let q. Sec. post, from which
 a Beech 12 mi. dist. from S 25° E 20 lbs. dist. of
 a do. 6 " " " " N 31° W 10 " "
 67.00 a Spring branch 5 lbs. wide C. S. N. W.
 78.00 a Creek 50 lbs. wide Course W.
 80.00 Let post Cor. to Sec. 16, 17, 20 & 21, from which
 a Beech 10 mi. dist. from N 52° E 15 lbs. dist. of
 an Iron? 6 " " " " S 61° W 8 " "
 Sand level 2^d rate, Beech, Poplar, Hickory &c.
 undg. Spruce.

150) Mt N.E. 2^d Mer. Indiana

Ch. Lk.

East On Rand^m. between Sec. 16 of 21

15.25 a Creek 50 lms. wide Course S.W.

19.75 a do 50 " " " N. rapid

24.50 a Branch 10 " " " S.

25.50 a Creek 50 " " " S.W. rapid

36.00 a do. 50 " " " N. do

40.00 Let temp^y. of Sec. post

49.00 a Creek 30 lms. wide Course S.

80.40 Intersected the N. & S. line 6 lms. N. of post
Land rolling 2^d rate, Ash, Beech, Poplar
underg^d. Spice & prairie.

Next Cornetted between Sec. 16 of 21

40.20 Let of Sec. post at average dist. from which
an Ash 12 in. dia. bray 160 E 4 lms. dist. of
a Beech 30 " " " N 22 W 10 " "

80.40 to Sec. Corner

North Between Sec. 16 of 17

5.50 a Branch 5 lms. wide Cr. W.

28.75 an Ash 18 in. dia.

40.00 Let of Sec. post, from which
an Ash 12 in. dia. bray 40 E 8 lms. dist. of
a do. 6 " " " N 82 W 12 " "

71.60 a Creek 30 lms. wide Cr. W.

80.00 Let post Cor. to Sec. 8, 9, 16 of 17, from which
a Beech 30 in. dia. bray 32 N 5 lms. dist. of
a do. 24 " " " N 43 E 30 " "

Land rolling rich, Poplar, Beech, Sugar &c
underg^d. Spice &c.

East On Rand^m. between Sec. 9 of 16

13.00 a Creek 50 lms. wide Cr. S.W. rapid

40.00 Let temp^y. of Sec. post

54.25 a Branch 6 lms. wide Cr. S.W.

74.50 a do. 6 " " " N.

151

S.W. 1/4 E. 2nd Mer. Indiana

ch. 1/2 Mer.
80.37 Intersected the N. of S. line 5 lns. N. of post
Land level rich, Sugar, Beech, Walnut &
undergth Spice &c.

West Corrected between Sec. 9 & 16
40.18 Let q^r. Sec. post at average dist. from which
a Beech 6 in. dia. bear N 11 E 8 lns. dist. of
a do. 2 " " " N 73 E 5 " "
80.37 to Sec. Corner Aug. 18th 1819

North Between Sec. 8 & 9
16.05 an Ash 20 in. dia.
40.00 Let q^r. Sec. post, from which
a Beech 18 in. dia. bear N 60 E 6 lns. dist. of
a do. 12 " " " N 51 W 12 " "
55.75 a do 15 " "
80.00 Let post Cor. to Sec. 4, 5, 8 & 9, from which
a P. Ash 20 in. dia. bear N 52 W 14 lns. dist
an Ash 18 " " " N 20 E 30 " "
Land level rich, Ash, Beech, undergth Spice

East On Rand^m. between Sec. 4 & 9
40.00 Let temp^y. q^r. Sec. post
70.75 a Branch 6 lns. wide Cr. S.
72.25 a Creek 30 " " " S.
77.00 a Spring -
79.50 Intersected the N. of S. line 25 lns. N. of post
Land rolling 2nd rate, Beech, Poplar, undergth.
Spice trees &c

West Corrected between Sec. 4 & 9
39.75 Let q^r. Sec. post at average dist. from which
an Elm 12 in. dia. bear N 65 E 5 lns. dist. of
a Hickory 6 " " " N 45 W 10 " "
79.50 to Sec. Corner

152 Mt. R. E. J. Mer. Indiana

ch. 2th
North Between Sec. 4 & 5

40.00 a Beech tree for q. Sec. post, from which
a Beech 18 m. dia. - bear N 14° 18' E 10 m. dist. of
an Elm? 2 " " " S 20° E 15 " "

45.00 an Ash 15 " "

79.90 Intersected N. boundary 250.00 m. N. of post
Set post Cor. to Sec. 4 & 5, from which
a Beech 12 m. dia. - bear N 27° 15' E 15 m. dist. of
a Ho. 13 " " " S 9° 12' " "
Sand level 3rd rate, Ash, Beech, Poplar
mudgth Spruce, Aug. 19th 1849

North Between Sec. 31 & 32

5.50 a Beech 7 m. dia.

18.25 a Branch - Course N. E.

40.00 Set q. Sec. post, from which
a Elm 30 m. dia. - bear N 81° E 10 m. dist. of
a Beech 2 " " " N 42° 15' " "

46.00 a Hickory 9 " "

80.00 Set post Cor. to Sec. 29, 30, 31 & 32, from which
a Beech 10 m. dia. - bear N 41° 10' E 10 m. dist. of
a Ho. 3 " " " N 66° E 15 " "
Sand level 3rd rate, Beech, Poplar, Sugar

East On Rand^m. between Sec. 29 & 32

29.00 a Spring branch - Course S.

34.25 a Ho. Ho. " S

40.00 Set temp. q. Sec. post

79.65 Intersected the N. & S. line 8 m. S. of post
Sand level 3rd rate, Beech, Sugar, mudgth Spruce

West Connected between Sec. 29 & 32

39.82 Set q. Sec. post at average dist. from which
a Beech 30 m. dia. - bear N 55° 12' E 10 m. dist. of
a Ho. 6 " " " S 55° E 12 " "

79.65 to Sec. Corner.

W. N. R. E. 2nd Mer. Indiana

153

ch. 2nd 1/2

West Between Secs. 30 & 31

34.25 a Beech 18 in. dia.

40.00 Set gr. Sec. post, from which

a Beech 3 in. dia. bear N 36 E 10 1/2 m. dist.

a W. Beech — " " " N 35 E 8 " "

78.50 Intersected N. boundary 55 1/2 m. N. of post

Set post cor. to Secs. 30 & 31, from which

a Beech 24 in. dia. bear N 31 E 10 1/2 m. dist.

a Anger 26 " " " N 46 W 30 " "

Land level 2nd rate, Beech, Ash, Anger, Poplar

under 7th price

North Between Secs. 29 & 30

21.00 a Branch 5 1/2 m. wide Cr. 9 1/2 a Beech 24 in. dia.

40.00 Set gr. Sec. post, from which

a Beech 3 in. dia. bear S 22 W 10 1/2 m. dist.

a Do. 4 " " " N 63 E 20 " "

41.75 a Branch 5 1/2 m. wide Corner N.

58.50 a Beech 30 in. dia.

80.00 Set post cor. to Secs. 19, 20, 29 & 30 from which

a Beech 3 in. dia. bear N 60 W 30 1/2 m. dist.

a Do. 3 " " " N 16 E 13 " "

Land level 2nd rate, Ash, Beech, Poplar.

under 7th price

East On Rand. between Secs. 20 & 29

40.00 Set temp. gr. Sec. post

63.75 a Branch 4 1/2 m. wide Cr. S.

76.00 a Do. 5 " " " S.

77.50 a Do 5 " " " S. W. a Spring

80.16 Intersected thicket of S. line 49 1/2 m. S. of post

Land level 2nd rate, Ash, Poplar & Beech

West Cor. to Sec. 20 & 29

40.08 Set gr. Sec. post at average dist. from which

an Ash 24 in. dia. bear S 82 W 6 1/2 m. dist.

154 T.M. N. R. E. 2^d Mer. Indiana
ch. l. h. an Ash 20 mi. dist. branch N 22 E 5 km. dist. of
80.16 to Sec. Corner.

West Between Sec. 19 & 30

24.10 a Poplar 15 mi. dist.

40.00 let q. Sec. post, from which
an Elm 18 mi. dist. branch N 39 W 15 km. dist. of
a Beech 3 " " " N 33 E 10 " "

47.00 a Poplar 60 " "

66.00 a Creek 10 km. wide Course S. W.

67.00 a do 10 " " " S. W.

69.25 a do 10 " " " N. W.

78.32 intersected N. boundary 75 km. S. of post
let post Cor. to Sec. 19 & 30, from which
a Beech 3 mi. dist. branch N 23 E 6 km. dist. of
a do. 18 " " " N 60 E 14 " "
Land level 2^d rate, Beech, Poplar, Ash,
Sugar, undr. Spruce, Aug. 20th 1819

North Between Sec. 19 & 20

7.50 a Poplar 18 mi. dist.

35.75 a Creek 50 km. wide C. S. W. current moderate

40.00 let q. Sec. post, from which
a Beech 12 mi. dist. branch N 3 E 12 km. dist. of
a do. 18 " " " N 53 E 20 " "

57.60 a Beech 20 " "

61.00 a Spring branch 4 km. wide Course E.

80.00 let post Cor. to Sec. 17, 18, 19 & 20, from which
a Beech 2 mi. dist. branch N 28 E 8 km. dist. of
a do. 10 " " " N 25 W 30 " "
Land rolling 2^d rate, Ash, Beech, Poplar &
undr. Spruce.

East On Rand. between Sec. 17 & 20

22.50 a Creek 15 km. wide Course S.

40.00 let turn p. q. Sec. post

Town R & E. 2nd Mer. Indiana

155

ch. 2th

79.00 a Creek 12th m. wide O. & M.

80.90 intersected the N & S line 60th m. S. of post
Land rolling 2nd rate, Sugar, Beech, Poplar
Ash, undergth. Spice

Met Cor. bet. Sec. 17 & 20

40.45 bet q^r. Sec. post at average dist. from which
a Beech 12 m. diam. branch N 74° W 10th m. dist. &
a Sugar 5 " " " N 32° E 14 " "
80.90 to Sec. Corner

Met Between Sec. 18 & 19

8.25 a Beech 15 m. diam.

40.00 a Beech 6 m. diam. q^r. Sec. post, from which
a do. 18 m. diam. branch N 75° W 10th m. dist. &
a Beech 3 " " " N 31° E 12 " "

58.50 a Beech 12 " "

78.05 intersected N. bound. 44th m. dist. of post
bet post Cor. to Sec. 18 & 19, from which
a Beech 7 m. diam. branch N 71° W 13th m. dist. &
a Poplar 5 " " " N 6° W 6 " "
Land level 2nd rate, Poplar, Beech, Sugar
Ash, undergth. Spice &c

Met Between Sec. 17 & 18

40.00 bet q^r. Sec. post, from which
a Beech 10 m. diam. branch N 35° E 20th m. dist. &
a do. 12 " " " N 18° W 5 " "

53.50 a do. 36 " "

78.00 a Branch 7th m. wide O. & W.

80.00 bet post Cor. to Sec. 7, 8, 17 & 18, from which
a Beech 15 m. diam. branch N 34° E 10th m. dist. &
a do. 12 " " " N 22° E 8 " "
Land level, rich, Beech, Sugar, Poplar, ash
undergth. Spice & prairie.

156 *W. N. E. 2nd Mer. Indiana*

ch. 1/2

East On Rand^m between Sec. 8 & 17

4.00 a Creek 10 *l*ns. wide Course S. W

40.00 Left temp^y. q^r. Sec. post

81.50 Intersected the N of S. line 75 *l*ns. S. of post
Land rolling 2nd rate, Beech, Poplar, Ang^r.

West Connected between Sec. 8 & 17

40.75 Left q^r. Sec. post at average dist^l, from which
a Beech 10 *m*. dist^l. bearing N 58° W 15 *l*ns. dist^l. of
a Ro. 24 " " " N 80° E 17 " "

81.50 to Sec. Corner

West Between Sec. 7 & 18

15.50 at Beech 18 *m*. dist^l.

40.00 Left q^r. Sec. post, from which

a Beech 30 *m*. dist^l. bearing N 78° W 10 *l*ns. dist^l. of
a Ang^r 7 " " " N 84° W 6 " "

67.25 an Ash 18 " "

77.10 Intersected N. boundary 40 *l*ns. S. of post

Left post Cor. to Sec. 7 & 18, from which

a Beech 12 *m*. dist^l. bearing N 41° E 10 *l*ns. dist^l. of
a Ro. 30 " " " N 23° W 18 " "

Land level 2nd rate, Beech, Poplar, Ash &c.

August 21st. 1819

North Between Sec. 7 & 8

22.00 a B. Ash 15 *m*. dist^l.

40.00 Left q^r. Sec. post, from which

a Beech 10 *m*. dist^l. bearing N 31° W 40 *l*ns. dist^l. of

a Gum 18 " " " N 55° W 25 " "

71.50 an Ash 24 " "

80.00 Left post Cor. to Sec. 5, 6, 7 & 8, from which

a Beech 12 *m*. dist^l. bearing N 71° E 14 *l*ns. dist^l. of

an Ash 8 " " " N 56° W 16 " "

Land level rich, Ash, Ang^r, Poplar, Beech
undergrowth Spruce

157

West N. E. T. Mer. Indiana

ch. l. by

East On Land^m between Sec. 5 & 8

40.00 Set temp. g. Sec. post

81.75 Intersected the St. S. line 70 lns. S. of post
First $\frac{1}{2}$ level rich - 2nd $\frac{1}{2}$ 2nd rate, Poplar
Lugan, Beech, undery^m Spruce

West Corrected between Sec. 5 & 8

40.87 Set g. Sec. post at average dist. from which
a Poplar 15 in. dia. bran. N 67° W 20 lns. dist. of
an Elm 5 " " " N 68° E 11 " "

81.75 to Sec. Corner

West Between Sec. 6 & 7

5.75 a Beech 12 in. dia.

15.00 a Branch 12 lns. wide Cr. S. W.

40.00 Set g. Sec. post, from which
a Beech 14 in. dia. bran. N 18° E 11 lns. dist. of
a N. Beech 3 " " " N 57° W 10 " "

56.25 a Beech 15 " "

72.50 Intersected Willow Swamp impassible
residue not run - First $\frac{1}{2}$ level rich - last $\frac{1}{2}$
rolling 2nd rate, Ash, Beech, Poplar, Spruce &c.

North Between Sec. 5 & 6

19.50 a Creek 10 lns. wide Course N.

28.50 a Beech 18 in. dia.

40.00 Set g. Sec. post, from which
an Ironwood 2 in. dia. bran. N 78° E 5 lns. dist. of
a Beech 18 " " " N 82° W 25 " "

80.75 Intersected St. boundary 345 lns. N. of post
Set post Cor. to Sec. 5 & 6, from which
an Ash 2 in. dia. bran. N 78° W 4 lns. dist. of
a Beech 20 " " " N 83° E 8 " "

Sand level 2nd rate, Ash, Poplar, Beech &c.
undery^m Spruce,

August 23rd 1819
Rasil Bently, Deputy, Sur.

I certify that the foregoing transcript of field notes, of Township N^o 10 N, Range N^o 7 East 2nd Mer. Indiana, has been compared with the Original notes in this Office, and found to be correct.

Surveyor General's Office
Cincinnati, Sept. 28. 1847

William Johnston
Sur. Genl.